

2026 Ford Bronco® SUV

TECHNICAL SPECIFICATIONS

2/18/26 V1.0



NOTE: Always consult the Owner’s Manual before off-roading, know your terrain and trail difficulty, and use appropriate safety gear.

BODY INFORMATION

Body style	Midsize 2-Door and 4-Door 4x4 SUV with removable top(s)
Frame construction	High-strength steel
Body material	Mild steel and aluminum body panels
Trim levels	Base, Big Bend®, Outer Banks®, Badlands®, Heritage Edition, Stroppe Edition, Raptor®
Key Optional packages	60th Anniversary – new , Mid, Lux, Black Appearance Package, Black Diamond® Package, Free Wheeling™ Package, Sasquatch® Package
Final assembly location	Michigan Assembly Plant, Wayne, Michigan

DRIVETRAIN

Layout	Front engine, center-mounted transfer case, four-wheel drive (4x4)
Transfer Cases	Electronic shift-on-the-fly 4x4 system with planetary gears (standard) Advanced 4x4 with Automatic On-Demand Engagement with electromechanical clutch (optional)

ENGINE SPECS AND KEY FEATURES

	2.3L EcoBoost® I-4	2.7L EcoBoost V6	3.0L EcoBoost V6 (Raptor only)
Horsepower⁽¹⁾⁽²⁾ (@ rpm)	300 @ 5,700	330 @ 5,000	418 @ 5,750
Torque⁽¹⁾⁽²⁾ (lb.-ft. @ rpm)	325 @ 3,400	415 @ 3,000	440 @ 2,750
Configuration	Inline 4-cylinder, dual overhead cam	60-degree V6, dual overhead cam	60-degree V6, dual overhead cam
Induction	Single twin-scroll turbocharger	Twin turbocharged/intercooled	Twin turbocharged/intercooled
Engine Block Material	Aluminum	Compacted graphite iron	Aluminum
Cylinder Head Material	Aluminum	Aluminum	Aluminum
Intake Manifold	Composite, split-plenum	Composite	Composite
Exhaust Manifold	Cast iron	Integrated cylinder head casting	Integrated cylinder head casting
Displacement (liters/cubic inches)	2.3/140	2.7/165	3.0/180
Bore x Stroke (inches)	3.45 x 3.70	3.27 x 3.27	3.36 x 3.39
Compression Ratio (:1)	10.0	10.0	10.5
Crankshaft Material	Forged steel	Forged steel	Forged steel
Valvetrain	Roller finger follower	Roller finger follower	Roller finger follower
Ignition System	Coil-on-plug	Coil-on-plug	Coil-on-plug
Alternator (single)	240-amp	240-amp	240-amp
Battery (single, H7 AGM)	80-AH, 800 CCA	80-AH, 800 CCA	80-AH, 800 CCA
Fuel Delivery	Direct injection	Port fuel and direct injection (PFDI)	Port fuel and direct injection (PFDI)
Recommended Fuel (octane)	87 minimum/ 91+ recommended	87 minimum/ 91+ recommended	91+ octane
Oil Capacity, Including Filter (quarts/liters)	5.6/5.3	6.0/5.7	7.0/6.6
Coolant Capacity (quarts/liters)	10.5/9.9 ⁽³⁾ 10.0/9.5 ⁽⁴⁾	12.4/11.7	12.4/11.7
Available Maximum Conventional Towing⁽¹⁾⁽⁵⁾ (lbs.)	3,500	3,500	4,500
Standard Availability	Base, Big Bend, Outer Banks, Badlands, Heritage Edition	Stroppe Edition	Raptor
Optional Availability	—	Outer Banks, Badlands, Heritage Edition	—

(1) Horsepower, torque and towing are independent attributes and may not be achieved simultaneously.

(2) Horsepower and torque ratings are based on premium fuel per SAE J1349® standard. Your results may vary.

(3) When equipped with automatic transmission.

(4) When equipped with manual transmission.

(5) When properly equipped. Maximum towing varies based on cargo, vehicle configuration, accessories, and number of passengers.

TRANSMISSIONS AND FINAL DRIVE

Standard 7-speed (6+1 crawler gear) Getrag manual offered on 2.3L engine only

Optional 10-speed automatic available on the 2.3L engine and standard with the 2.7L and 3.0L engines

	Gear Ratios (:1)	
	7-speed Manual	10-speed Automatic
First	6.56	4.71
Second	4.28	3.00
Third	2.37	2.15
Fourth	1.45	1.77
Fifth	1.00	1.52
Sixth	0.78	1.28
Seventh	0.65	1.00
Eighth	—	0.85
Ninth	—	0.69
Tenth	—	0.64
Reverse	5.63	4.89
Axle Ratios (:1)	4.46 (standard) 4.70 (available)	3.73 (standard) 4.70 (available)

AXLES AND DIFFERENTIALS

	Front			Rear		
	Standard	Optional	Raptor	Standard	Optional	Raptor
Type	Dana AdvanTEK® M190 IFS	Dana AdvanTEK M210 IFS	Dana 44 AdvanTEK IFS	Dana 44 AdvanTEK M220 solid axle		Dana 50 heavy-duty AdvanTEK solid axle
Differential Type	Open	Spicer Performa-TraK electronic-locking		Open	Spicer Performa-TraK electronic locking	
Gross Axle Weight Rating (lbs.)	2,900-3,270		3,600	3,000-3,070		3,450

NOTE Dana 44 AdvanTEK is a registered trademark of Dana Limited.

TRANSFER CASES

	Standard	Optional
Type	2-speed part-time electronic shift-on-the-fly (ESOF)	2-speed Advanced 4x4 System with on-demand engagement
Gear Type	Planetary	Electromechanical
Case Material	Magnesium	Magnesium
Gear Ratio – High (:1)	1.00	1.00
Gear Ratio – Low (:1)	2.72	3.06
Crawl Ratio (:1)		
Manual Transmission	79.92	94.75
Automatic Transmission	57.19	67.80
Fluid Capacity (quarts/liters)	1.3/1.2	1.6/1.55
Flat/Neutral Tow Capability ⁽¹⁾	Yes	Yes

(1) Refer to Owner's Manual and follow detailed steps for neutral tow engagement, located in the "Towing Your Vehicle" section.

CHASSIS AND SUSPENSION

Chassis Type	Body-on-frame; fully boxed high-strength steel frame with seven cross members
Suspension Type	High-Performance Off-Road Stability Suspension (HOSS) System with low-mass independent front suspension, five-link solid rear axle with Panhard rod and outboard variable-rate coilover springs

SUSPENSION DETAILS

	HOSS 1.0	HOSS 2.0	HOSS 3.0	HOSS 4.0
Front Specifications				
Configuration	Independent short- and long-arm (SLA) with forged knuckles, heavy-duty wheel hubs and long-travel coil-over springs			
Upper Control Arms	Forged aluminum	Forged aluminum	Forged aluminum	Forged steel
Lower Control Arms	Forged aluminum	Forged aluminum	Forged aluminum	Longer, heavy-duty forged aluminum
Shock Absorbers	HOSS-tuned heavy-duty	Position-sensitive Bilstein® off-road monotube	FOX™ with internal bypass technology	FOX 3.1 internal bypass semi-active with Live Valve™ Technology
Additional Features	—	210 mm IFS axle	Ford Racing severe-duty steering rack and tie-rod ends	Strengthened top mount, external jounce bumpers, stabilizer bar disconnect
Standard Availability	Base, Big Bend, Outer Banks	Badlands, Heritage Edition	Stroppe Edition	Raptor
Optional Availability	—	Base, Big Bend, Outer Banks ⁽¹⁾	Badlands ⁽¹⁾	—
Shock Absorbers	HOSS-tuned heavy-duty monotube	Position-sensitive Bilstein off-road monotube	FOX with internal bypass technology	FOX 3.1 internal bypass semi-active with Live Valve™ Technology
Rear Specifications				
Configuration	Long-travel solid rear axle, 4-link with Panhard rod, variable rate coil-over springs and integrated jounce bumpers			
Shock Absorbers	HOSS-tuned heavy-duty monotube	Position-sensitive Bilstein off-road monotube	FOX shock absorbers with internal bypass technology	FOX 3.1 internal bypass semi-active with Live Valve Technology, piggyback reservoirs
Additional Features	220 mm solid axle	—	Stabilizer bar	Tubular steel upper and lower trailing arms, external jounce bumpers, stabilizer bar with disconnect
Standard Availability	Base, Big Bend, Outer Banks	Badlands, Heritage Edition	Stroppe Edition	Raptor
Optional Availability	—	Base, Big Bend, Outer Banks ⁽¹⁾	Badlands ⁽¹⁾	—

(1) Requires extra-cost Sasquatch Package.

NOTE: FOX is a trademark of FOX Factory Inc.

NOTE: Bilstein is a trademark of ThyssenKrupp Bilstein GmbH.

STEERING

Type Selectable-effort electric power assisted (EPAS) rack-and-pinion steering with modes controlled via Terrain Management System™ with G.O.A.T. Modes® (Goes Over Any Type of Terrain) or MyMode™ on the Bronco Raptor

	2-Door	4-Door
Steering Modes	Standard, Comfort, Sport	Standard, Comfort, Sport, Off-Road (Raptor only)
Steering Ratio	19.3:1	
Turning Diameter – curb-to-curb (ft.)		
32" Tire	35.5	40.1
33" Tire	—	39.8
35" Tire	39.9	39.9
37" Tire	—	40.4

BRAKES

Type Power-vented disc with Anti-Lock Brake System (ABS) and Automatic Emergency Braking (AEB)

	Bronco (2.3L/2.7L engines)	Bronco Raptor (3.0L engine)
Front Specifications		
Rotor Material	Cast iron	Nitro Tough Iron
Rotor Size (diameter x thickness; mm)	311 x 34	350 x 34
Swept Area (sq. cm)	419.9	515.5
Pad Material	Non-Asbestos Organic (NAO)	
Caliper Type	Floating caliper, dual-piston	
Piston Diameter (mm)	51	
Rear Specifications		
Rotor Material	High-carbon cast iron	Nitro Tough Iron
Rotor Size (diameter x thickness; mm)	308 x 24	336 x 20
Swept Area (sq. mm)	378.6	410.0
Pad Material	Non-Asbestos Organic (NAO)	
Caliper Type (includes electric integrated parking/emergency brake)	Floating caliper, single-piston	
Piston Diameter (mm)	54	

FUEL TANK CAPACITY

	Fuel Tank Capacity (gallons)
2-Door	16.9
4-Door	20.8

SELECT BRONCO OFF-ROAD FEATURES

Feature	Details	
	Off-Road Technology	
Terrain Management System with G.O.A.T. Modes	Normal, Eco, Sport, Slippery, Sand Modes: Base, Big Bend Outer Banks, Heritage Edition models	
	Normal, Eco, Sport, Slippery, Off-Road, Rock Crawl, Baja Modes: Badlands, Stroppe Edition, Raptor models	
Ford Trail Control™ ⁽¹⁾	Included with 10-speed automatic transmission on all Bronco models	
Trail 1-Pedal Drive ⁽²⁾	Included with 10-speed automatic transmission on all Bronco models	
Trail Turn Assist	Included on models equipped with 10-speed automatic transmission and 2.7L or 3.0L engine (not available with 2.3L engine and manual transmission)	
	Body and Interior	
Modular Section	Doors, roof panels, front fenders, grille, fender flares, rear quarter panels, bumpers	
Rock Rails	Standard on Badlands, Raptor; included in Black Diamond Package	
Side Steps	Standard on Outer Banks, Heritage Edition, Raptor (removable running boards); available on Base, Big Bend	
Underbody Protection	Steel bash plates are standard on Heritage Edition, Badlands, Stroppe Edition and Raptor; included in the Black Diamond Package	
Fender Tie-Down Hooks	Front fender tie-down hooks are standard on all models with a 150-lb. capacity ⁽³⁾ and also serve as trail sights	
Modular Bumpers	Ford Performance heavy-duty modular front bumper standard on Stroppe Edition and Raptor; available as dealer-installed accessory on Big Bend and Badlands	
MOLLE Seat-Back Grid System	MOLLE (Modular Lightweight Load-Carrying Equipment) Strap System available on models with marine-grade vinyl seats	
Washout Vinyl Flooring with Drain Plugs	Standard on Badlands, Stroppe Edition and Raptor; included in the Black Diamond Package	
	Tops and Doors	
	2-Door	4-Door
Standard Top (varies by model)	Removable hard top	Removable hard top, Removable soft top
Roof Panel Weight (lbs.)	14.0/15.4 (front left/right)	13.6 /14.5 (front left/right), 28.1 mid panel
Doors	Frameless, removable front (2)	Frameless, removable, front and rear (4) with available cargo area storage
Door Weight (lbs.)	62 (front only)	55/44 (front/rear)

(1) Driver-assist features are supplemental and do not replace the driver's attention, judgment, and need to control the vehicle. Remember that even advanced technology cannot overcome the laws of physics. It's always possible to lose control of a vehicle due to inappropriate driver input for the conditions.

(2) Trail 1-Pedal Drive is an extra driving aid. It does not replace the driver's attention and judgment, or the need to apply the brakes.

(3) Cargo and load capacity limited by weight and weight distribution. Always properly secure cargo.

NOTE: Always consult the Owner's Manual before off-road driving, know your terrain and trail difficulty, and use appropriate safety gear.

OFF-ROAD SPECS (inches unless otherwise noted)

	Base		Big Bend, Outer Banks	Badlands		Sasquatch Package		Raptor
	30" Tire		32" Tire	33" Tire		35" Tire		37" Tire
	2-Door	4-Door	4-Door	2-Door	4-Door	2-Door	4-Door	4-Door
Suspension Travel – Front	7.9	7.9	8.0	9.4	9.4	9.1	9.1	13.0
Suspension Travel – Rear	8.5	8.5	9.8	10.3	10.3	9.9	9.9	14.0
Approach Angle (degrees)	35.7	35.7	38.3	41.3	41.3	43.3	43.3	47.2
Breakover Angle (degrees)	21.3	19.6	22.1	26.4	24.1	28.9	26.3	30.8
Departure Angle (degrees)	29.9	29.8	32.1	34.6	34.5	37.0	36.9	40.5
Ground Clearance	8.3	8.4	9.4	10.5	10.5	11.6	11.5	13.1
Water Fording Depth⁽¹⁾ – Max.	31.5	31.5	31.5	31.5	31.5	33.5	33.5	37.0
Ramp Travel Index (RTI; NOT shown as inches)	—	—	—			—	—	—
Stabilizer bar connected				560	500			
Stabilizer bar disconnected ⁽²⁾				700	620			

(1) Always determine the water depth before attempting a crossing and proceed slowly. Refer to your Owner's Manual for detailed information regarding driving through water.

(2) Stabilizer bar disconnect is an available feature.

EXTERIOR DIMENSIONS (inches unless otherwise noted)

	2-Door	4-Door
Wheelbase	100.4	116.1
Overall Length		
Base	173.7	189.4
Big Bend, Outer Banks	—	189.4
Badlands	173.2	189.0
Heritage Edition, Stroppe Edition	—	189.5
Raptor	—	191.0
Height		
Base	71.9	73.0 (soft top)
Big Bend, Outer Banks	—	73.0
Badlands	74.1	74.1
Heritage Edition, Stroppe Edition	—	78.6
Raptor	—	77.8
Width (mirror folded/unfolded)		
Base	75.9/86.3	75.9/86.3
Big Bend, Outer Banks	—	75.9/86.3
Badlands	76.3/86.6	76.3/86.6
Heritage Edition, Stroppe Edition	—	79.3/86.6
Raptor	—	85.7/86.9
Track Width		
Base, Badlands	65.0/65.0	65.0/65.0
Big Bend, Outer Banks	—	65.0/65.0
Heritage Edition, Stroppe Edition	—	66.9/66.9
Raptor	—	73.2/73.6

INTERIOR DIMENSIONS (inches unless otherwise noted)

	2-Door (hard top)	4-Door (hard top)	4-Door (soft top)
Seating Capacity (passengers)	4	5	5
Head Room (front/rear)	41.0/39.8	40.8/40.1	43.3/41.1
Shoulder Room (front/rear)	57.1/51.8	57.1/56.5	57.1/56.5
Hip Room (front/rear)	56.3/43.3	55.9/54.8	55.9/54.8
Leg Room (front/rear)	43.1/35.7	43.1/36.3	43.1/36.3
Passenger/Cargo Capacity			
Passenger Volume (cu. ft.)	97.6	103.6	108.2
Cargo Volume (cu. ft.)			
Behind First Row	52.0	77.6 72.9 (Raptor)	83.0
Behind Second Row	20.6	35.6	38.3
Roof Load (lbs.)			
Dynamic (vehicle in motion)	110	110	—
Static	450	450 ⁽¹⁾	—

(1) This rating not available when equipped with the 35" (315/70R17) tire.

CURB WEIGHTS/MAXIMUM PAYLOAD AND MAXIMUM TRAILER TOW RATINGS

Bronco 2-Door (pounds unless otherwise noted)								
7-Speed Manual Transmission								
Trim	Engine	Vehicle Weights		Weight Ratings				
		Curb Weight	Maximum Payload Rating ⁽¹⁾	Maximum Gross Axle Weight Rating (GAWR)		Gross Vehicle Weight Rating (GVWR)	Maximum Trailer Tow ⁽²⁾⁽³⁾	Gross Combination Weight Rating (GCWR)
				Front	Rear			
Base	2.3L I-4	4,336	1,147	2,900	3,160	5,540	3,500	8,500
Badlands		4,653	1,087	2,900	3,160	5,740	3,500	8,980
Base with Sasquatch Package		4,560	1,087	2,900	3,160	5,700	3,500	8,980
10-Speed Automatic Transmission								
Base	2.3L I-4	4,356	1,188	2,900	3,160	5,540	3,500	8,500
Badlands		4,673	1,067	2,900	3,160	5,740	3,500	8,980
Base with Sasquatch Package		4,579	1,132	2,900	3,160	5,700	3,500	8,980

(1) When properly equipped. Maximum payload varies and is based on accessories and vehicle configuration. See label on doorjamb for carrying capacity of a specific vehicle. Always properly secure cargo.

(2) Maximum towing capabilities are for properly equipped vehicles with required equipment and a 150-lb. driver and passenger and vary based on cargo, vehicle configuration, accessories, option content and number of passengers.

(3) Trailer Tow Prep Package included on all models, excluding Raptor.

CURB WEIGHTS/MAXIMUM PAYLOAD AND MAXIMUM TRAILER TOW RATINGS – continued

Bronco 4-Door (pounds unless otherwise noted)								
7-Speed Manual Transmission								
Trim	Engine	Vehicle Weights		Weight Ratings				
		Curb Weight	Maximum Payload Rating ⁽¹⁾	Maximum Gross Axle Weight Rating (GAWR)		Gross Vehicle Weight Rating (GVWR)	Maximum Trailer Tow ⁽²⁾⁽³⁾	Gross Combination Weight Rating (GCWR)
				Front	Rear			
Base	2.3L I-4	4,504	1,417	3,090	3,160	5,920	3,500	8,980
Base with Sasquatch Package		4,732	1,248	3,180	3,160	5,980	3,500	8,980
Big Bend		4,523	1,333	3,090	3,160	5,920	3,500	8,980
Big Bend with Black Diamond		4,846	1,246	3,180	3,160	6,110	3,500	8,980
Badlands		4,897	1,243	3,180	3,160	6,140	3,500	8,980
Heritage Edition		4,871	1,109	3,180	3,160	5,980	3,500	8,980
10-Speed Automatic Transmission								
Base	2.3L I-4	4,525	1,395	3,090	3,160	5,920	3,500	8,500
Big Bend		4,545	1,375	3,090	3,160	5,920	3,500	8,500
Big Bend with Black Diamond		4,868	1,239	3,180	3,160	6,107	3,500	8,980
Outer Banks		4,637	1,283	3,090	3,160	5,920	3,500	8,500
Outer Banks with Sasquatch		4,838	1,182	3,180	3,160	6,020	3,500	8,980
Badlands		4,919	1,177	3,180	3,160	6,160	3,500	8,980
Heritage Edition		4,893	1,087	3,330	3,160	5,980	3,500	8,980
Base with Sasquatch Package		4,754	1,266	3,180	3,160	6,020	3,500	8,980
Outer Banks	2.7L V6	4,764	1,296	3,220	3,160	6,060	3,500	8,740
Outer Banks with Sasquatch		4,965	1,195	3,330	3,160	6,160	3,500	9,120
Badlands		5,046	1,204	3,330	3,160	6,250	3,460	9,120
Heritage Edition		5,020	1,180	3,330	3,160	6,100	3,500	9,120
Stroppe Edition		5,334	1,141	3,300	3,070	6,160	3,500	9,120
Raptor	3.0L V6	5,814	1,155	3,600	3,450	6,850	4,500	10,650

(1) When properly equipped. Maximum payload varies and is based on accessories and vehicle configuration. See label on doorjamb for carrying capacity of a specific vehicle. Always properly secure cargo.

(2) Maximum towing capabilities are for properly equipped vehicles with required equipment and a 150-lb. driver and passenger and vary based on cargo, vehicle configuration, accessories, option content and number of passengers.

(3) Trailer Tow Prep Package included on all models, excluding Raptor.

WHEELS

Standard	Optional
16" bright polished silver-painted steel (Base)	17" high gloss black-painted aluminum with Warm Alloy beauty ring, beadlock-capable (Base, Big Bend, Outer Banks and Badlands with Sasquatch Package)
17" Carbonized Gray-painted aluminum (Big Bend)	17" matte black aluminum (Base, Big Bend, Outer Banks and Badlands with Sasquatch Package)
17" Carbonized Gray-painted aluminum (Badlands)	17" gloss black-painted steel (Big Bend Free Wheeling Package; Big Bend and Outer Banks with Black Diamond and Black Appearance Packages)
18" high-gloss black-painted, bright-machined aluminum (Outer Banks)	17" high gloss black-painted, bright-machined aluminum with red accents (Big Bend with Sasquatch and Free Wheeling Packages)
17" Oxford White-painted "dog dish-style" aluminum (Heritage Edition)	17" high gloss black-painted aluminum with black beauty ring, beadlock-capable (Big Bend, Outer Banks and Badlands with Black Appearance Package when Sasquatch Package is selected)
17" matte black-painted aluminum with gloss black trim ring (Stroppe Edition)	17" Gravity Gray-painted aluminum with Vermillion Red center cap (Outer Banks with 60th Anniversary Package when Sasquatch Package is selected)
17" high gloss black-painted aluminum (Raptor)	17" Dark Carbonized Gray-painted forged-aluminum, beadlock-capable (Raptor)

TIRES (inches unless otherwise noted)

Size (outer diameter)	30	32	32	32	33	35	37
Wheel Size	16.0 x 7.0	17.0 x 7.5	17.0 x 7.5	18.0 x 7.5	17.0 x 8.0	17.0 x 8.5	17.0 x 8.5
Beadlock Capable	—	—	—	—	—	Yes	Yes
Tread Type	All-season	All-terrain			Rugged-terrain		All-terrain
Trim Level	Base	Big Bend (std.)	Big Bend (opt.)	Outer Banks	Badlands	Stroppe Edition, Heritage Edition	Raptor
Package Availability (optional)	—	—	Black Diamond, Free Wheeling	—	—	Sasquatch on Base, Big Bend, Outer Banks, Badlands	—

WARRANTY

Bumper-to-bumper

3 years/36,000 miles

Powertrain

5 years/60,000 miles

Safety restraint system

5 years/60,000 miles

Corrosion — sheet metal (perforation only excludes aluminum)

5 years/unlimited miles

Emissions defects

2 years/24,000 miles

Emissions performance

2 years/24,000 miles

Roadside assistance

5 years/60,000 miles